

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended) A hand-utility interface for use in protecting a user's hand during utility tasks comprising a foamed block body having a plurality of finger-receiving channels defined therein; and palm support means for securing said interface to the palm of a user's hand, the palm support means comprising one or more resilient yokes, wherein the finger-receiving channels snugly receive the fingers of said user's hand such that in use, the palm support means and finger-receiving channels secure the interface to the user's hand.
2. (original) A hand-utility interface according to claim 1, wherein body defines a uniform work surface.
3. (original) A hand-utility interface according to either of claims 1 or 2, wherein the foamed block body comprises viscoelastic foam material.
4. (currently amended) A hand-utility interface according to claim 1, ~~any of claims 1 to 3~~, wherein finger-retaining means are provided to one or more of the finger-receiving channels.

5. (withdrawn) A hand-utility interface according to claim 4, wherein said finger-retaining means comprise tabs over hanging said one or more finger-receiving channels.

6. (original) A hand-utility interface according to claim 4, wherein said finger-retaining means comprise finger grips provided to the one or more finger-receiving channels.

7. (currently amended) A hand-utility interface according to claim 1, ~~any of claims 1 to 6~~, wherein the foamed block body is symmetric in form such as to be suitable for ambidextrous use.

8. (cancelled)

9. (currently amended) A hand-utility interface according to claim 1, ~~claim 8~~, wherein said one or more resilient yokes comprises hinged parts movable from an open to closed configuration.

10. (withdrawn) A multi-layer form cleaning cloth comprising

(a) an absorbent cloth layer;

(b) adjacent to said absorbent cloth layer, a perforate layer comprising at least partly non-transparent material; and

(c) adjacent to said perforate layer, a fluid impermeable layer comprising at least partly a transparent material, said fluid impermeable layer joining to said perforate layer such that a reservoir for receipt of cleaning media is defined,

wherein the non-transparent perforate layer is visible through the transparent liquid impermeable layer when the reservoir is empty of cleaning media.